



## Certifications

Approved by ERDF

## Section

MV Sets

## Application

Field  
Laboratory



## PRODUCT BENEFITS

### TOOL CAPACITY

Diameter	16 - 58 mm
	0,630 - 2,283 inch

### TOOL DIMENSIONS

Length	575 mm
--------	--------

Width	470 mm
-------	--------

Height	145 mm
--------	--------

Weight without box	10 Kg
--------------------	-------

Packaging	Case
-----------	------

## TO DO WHAT



### Options

GRI - Scraper for residues of bonded semiconductor

### Associated tool

CPM-TC223-NG - Additional case 5 TC for NF C33-223 cables  
CKM-HTA-630-NG - Case for self service kit for MV 630 NG case

### Case

MF2/60 - Multifonction tool for outer sheath and insulation  
MF1+/60 - Tool for bonded semiconductor and peelable with stylus  
SRC-D - Scoring stylus for peelable semiconductor with chamfer on the transition  
SCH - Chamfering stylus for insulation  
ALROC-FENTE - Tool to perform slits on cable's outer sheath  
ROTO-TMG - Connector holder for bolted and clamping connections  
GFE-TMG - Roller block for ROTO-TMG to tighten the outer sheath over screen connection  
K7/GRATT - Cartidge dedicated to sheath abrading, to be mounted on tool ROTO-TMG  
EV/NPT - Tool to spread PE outer sheath with aluminium screen  
EV 630 - Tool to spread PVC outer sheath with aluminium screen  
LIGAREX - Clamping tool with return spring for straps  
TC630 -

## ALROC SAS

Z.I. de la Fonderie - 72160 TUFFE  
FRANCE

Phone: +33 2 43 71 11 80

Fax number : +33 2 43 71 16 51

www.alroc.fr

MV cables Tools

# CNPT/630-1-MV-NG



Part Number	Diameter	Tool capacity	Dimensions			Packaging
			Length	Width	Height	
CNPT/240-1-MV-NG	16 - 40 mm 0,630 - 1,575 in		390 mm 15,354 in	310 mm 12,205 in	145 mm 5,709 in	case
CNPT/240-2-MV-NG	16 - 40 mm 0,630 - 1,575 in		575 mm 22,638 in	470 mm 18,504 in	145 mm 5,709 in	case
CNPT/630-1-MV-NG	16 - 58 mm 0,630 - 2,283 in		575 mm 22,638 in	470 mm 18,504 in	145 mm 5,709 in	case